


JADEVER

JWI-700W Weighing Scale



JWI-700W SEREIS WEIGHING SCALE

Main Features

- Auto calibration
- Kg/Lb calibration method available
- LCD display and LED backlight
- Compact keypad design, operate faster
- Low power and charging status indication
- Kg,g, pcs four units available
- Optional RS-232 interface
- Up to 99 data accumulation
- HI/LO/OK, RTC functions
- Special design for protecting PCB anti-cockroach to improve safety and reliability

Special design PCB

Special design PCB with aluminum plate cover on the sensitive A/D portion



Prevent PCB from static and moisture, anti-cockroach to improve safety and reliability

JWI-700W Specification

Model	15K	30K	60K	75K	100K	150K	200K	300K	500K	600K	1000K	1500K	2000K	3000K
Capacity(Kg)	15	30	60	75	100	150	200	300	500	600	1000	1500	2000	3000
Division(g)	1	2	5	5	10	10	10	20	50	50	100	100	200	200
* If need orther Capacity & Division. Please contact our sales department.														
Adaptor	AC 110V/230V + DC 6V/4.0AH rechargeable battery													

DIMENSION

Steel Platform : 25x25 cm, 28x28 cm, 30x40 cm, 33x44 cm, 40x50 cm, 42x52 cm, 45x60 cm, 50x60 cm, 60x60 cm, 60x70 cm, 60x80 cm, 70x80 cm, 80x80 cm, 1x1m

Stianless Steel Platform : 25x25 cm, 28x28 cm, 30x40 cm, 35x35 cm, 40x50 cm, 50x60 cm, 60x70 cm, 70x80 cm, 80x80 cm, 1x1m

Accessory



BP-545D.EZ-DT-2
2005/12/13 13:10:04
T.W. : + 71.0 kg
N.W. : + 34.2 kg
G.W. : + 105.2 kg

TP-16

2008/08/22
17:36:33
T.W. :
+ 0.0 kg
N.w. :
+ 25.8 kg
G.W. :
+ 25.8 kg



JWI-700W

Weighing Indicator



■ Features

- Up to 1/30000 resolution
- Large LCD display with green backlight
- High-impact durable ABS housing
- Supports up to eight 350 ohm analog load cells
- Adjustable capacities, resolutions and parameters
- Zero / Tare / Weighing / Simple counting / Peak hold / Check quantity / Accumulation / Net weight display / Gross weight display / Check weighing functions
- Auto shut off for power saving
- RS-232 interface (optional)
- Ideal for applications in production, packaging, warehouse, inventory, shipping and receiving areas.

■ Specifications

Model	JWI-700W
Resolution	1/30000
Weighing unit	kg / g / pcs
Display	6digits, 30mm digit height, LCD display with green LED backlight
Dimension (mm)	274×170×117
Weight	Net weight: 2.52kg Gross weight: 2.95kg
Power Supply	AC 110V/220V (AC±10%) or rechargeable battery (6V/4A)
Load cell excitation	DC 5V, Up to 8x350 ohm load cells
Operating Temp	-5~ 40°C
Certification	CE

The specifications and external design are subject to change without notice for further improvement

JADEVER
MORE THAN WEIGHING



Jadever Scale Co., Ltd.

Tel:+886-2-22990203 Fax:+886-2-22990204
http://www.jadever.com E-mail:sales@jadever.com.tw

Xiamen Jadever Co., Ltd.

Tel:+86-592-6037668 Fax:+86-592-6037028
http://www.jadever.com E-mail:jadever@jadever.com.cn
xmjadever@jadever.com.cn

Jadever Weigtech, Inc.

Tel:+1-905-482-2618 Fax:+1-905-887-4066
http://www.jadeverscale.com E-mail:james@jadeverscale.com